

## Hand Dryers





# DISTINCT MODELS TO MATCH ANY ASTHETIC AND PERFORMANCE NEED



**TRI-Umph™**

High-Speed, Ultra-Fast Drying  
Suitable For High Traffic Areas



**TURBO-Dri™**

High-Speed, Robust Design  
Suitable For High Traffic Areas



**TURBO-Slim™**

High-Speed, Compact Design  
Suitable For High Traffic Areas



**TURBO-Chic**

High-Speed, Elegant Design  
Suitable For High Traffic Areas



**Autobeam**

Classic Design, Automatic  
Suitable For High Traffic Areas



**Touchdry**

Classic Design, Button Operation  
Suitable For High Traffic Areas




**Applause**

Stylish, Ultra-Quiet,  
Suitable For Low Traffic Areas  
Requiring Low Noise



**Applause Plus**

Low Cost, Automatic  
Suitable For Low Traffic Areas



**TURBO-Tuff™**

High Speed, Recess Mount  
Suitable for High Traffic Areas



**TURBO 3-in-1**

Practical 3in1 Design  
Suitable For Any Washroom



**Select Classic**

Sophisticated 3in1 Design  
Suitable For High-End Washrooms

**\*\*\*NB - all models are suitable for use in Accessible Compliant washrooms\*\*\***

# 3-IN-1 PAPER TOWEL DISPENSER WITH WASTE RECEPTACLE AND AUTOMATIC ELECTRIC HAND DRYER HAS GONE HIGH-SPEED



**Decibel Level**  
**Min:** 61 dB-A @ 2M  
**Max:** 67 dB-A @ 2M  
**Dry Time:** Approx. 15 seconds



## 10-64671-2-A SELECT CLASSIC G2 3-IN-1

Integrated stainless steel cabinet with three features in one installation. Manufactured from high quality 304 stainless steel Select Classic G2 provides a fully automatic high-speed hand dryer with adjustable air speed and temperature settings, paper towel dispenser and large capacity waste bin (26L). Easy installation and service via a security locked front door. Protected for shipment by PVC coating on all surfaces. 5 year warranty on hand dryer.

**Overall Dimensions:**  
 440 x 1515 x 202 mm  
**Wall Opening:**  
 408 x 1494 x 120 mm (minimum)

**Electrical Specifications:**  
 Motor: 500 Watt, 22 - 29 KRPM, (adjustable), brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 275 - 500 Watt  
 Current: 3 - 4 Amps @ 240 VAC



**Decibel Level**  
**Min:** 61 dB-A @ 2M  
**Max:** 67 dB-A @ 2M  
**Dry Time:** Approx. 15 seconds



## 10-64672-2 TURBO 3-IN-1

Fully recessed and accessible compliant three-in-one unit. Features paper towel dispenser, high-speed automatic hand dryer with adjustable speed and temperature settings and 26L waste receptacle. Durable 304 stainless steel with satin finish provides seamless design suitable for any washroom. 5 year warranty on hand dryer.

**Overall Dimensions:** 391 x 1407 x 191 mm  
**Wall Opening:** 358 x 1381 x 184 mm

**Electrical Specifications:**  
 Motor: 500 Watt, 22 - 29 KRPM (adjustable), brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 275 - 500 Watt  
 Current: 3 - 4 Amps @ 240 VAC

\* Black and White options have a phenolic door.  
 Finished Wall Opening is 392 x 1408 x 194 mm min

### Optional Finish:

White\*  
 10-64672-2-00

Black\*  
 10-64672-2-41



**Decibel Level**  
**Min:** 69 dB-A @ 2M  
**Max:** 69 dB-A @ 2M  
**Dry Time:** Approx. 15 seconds



## 10-0135-2 TURBO-TUFF™ SATIN STAINLESS STEEL

Fast drying, automatic high-speed hand dryer. Infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature with on/off heating options. Dryer automatically shuts off after time-out. Durable type 304 satin finish stainless steel cover. Unit is recess mount and requires direct wiring (by an electrician). 5 year warranty.

**Overall Dimensions:**  
 320 x 400 x 103 mm

**Electrical Specifications:**  
 Motor: 500 Watt, 22 - 29 KRPM (adjustable), brush type, dual ball bearings  
 Voltage: 220 - 240VAC 50/60Hz  
 Heater: 275 - 500 Watt  
 Current: 3 - 4 Amps @ 240 VAC



**Decibel Level**  
**Min:** 63 dB-A @ 2M  
**Max:** 69 dB-A @ 2M

**Dry Time:** Approx. 12 seconds



**Decibel Level**  
**Min:** 62 dB-A @ 2M  
**Max:** 67 dB-A @ 2M

**Dry Time:** Approx. 15 seconds

**10-20200-2 TRI-Umph™ HIGH-SPEED HAND DRYER**

Fast drying, automatic high-speed hand dryer with an ultra-hygienic triple HEPA filter. Satin look cover: ABS plastic with silver ions. Ergonomic — no need to bend over or bend knees. Air blows down from vents on top. Adjustable air speed and temperature. No water splash-back. 5 year warranty.

**Overall Dimensions:**  
 322 x 588 x 197 mm

**Electrical Specifications:**  
 Motor: 700 Watt, 14 - 18 KRPM (adjustable),  
 brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 400 - 800 Watt  
 Current: 5 - 7 Amps @ 240 VAC

**Optional Finish:**



White  
 10-20201-2

**10-0194-2-41 TURBO-Chic MATTE BLACK**

Only 100mm deep, this high-speed hand dryer is both compact and stylish and can fit in most confined spaces with no need for a recess kit. Quick drying with infrared sensor, auto-resetting thermostat and adjustable air speed and temperature. Also includes a carbon filter for prolonged motor life. Dryer automatically shuts off after time-out. 5 year warranty.

**Overall Dimensions:**  
 152 x 268 x 100 mm

**Electrical Specifications:**  
 Motor: 500 Watt, 22 - 29 KRPM (adjustable),  
 brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 275 - 500 Watt  
 Current: 3 - 4 Amps @ 240 VAC

**Optional Finish:**



Satin Stainless  
 Steel  
 10-0194-2-93



**Decibel Level**  
**Min:** 63 dB-A @ 2M  
**Max:** 69 dB-A @ 2M

**Dry Time:** Approx. 15 seconds



**Decibel Level**  
**Min:** 61 dB-A @ 2M  
**Max:** 67 dB-A @ 2M

**Dry Time:** Approx. 15 seconds



**10-0197-2-92 TURBO-Dri™ POLISHED STAINLESS STEEL**

Powerful high-speed automatic hand dryer. Quick drying with infrared sensor, auto re-setting thermostat, a 60 second automatic shut off and adjustable air speed and temperature settings. 5 year warranty.


**Overall Dimensions:**  
 205 x 287 x 180 mm

**Electrical Specifications:**  
 Motor: 700 Watt, 14 - 18 KRPM (adjustable),  
 brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 400 - 700 Watt  
 Current: 5 - 6 Amps @ 240 VAC

**Optional Finish:**



White  
 10-0197-2



Satin Stainless  
 Steel  
 10-0197-2-93

**10-0199-2-41 TURBO-Slim™ MATTE BLACK**

Only 102 mm deep, this high-speed hand dryer can fit in most confined spaces with no need for a recess kit. Quick drying with infrared sensor, auto-resetting thermostat and adjustable air speed and temperature. On/off heating options. Dryer automatically shuts off after time-out. 5 year warranty.

**Overall Dimensions:**  
 270 x 216 x 102 mm

**Electrical Specifications:**  
 Motor: 500 Watt, 22 - 29 KRPM (adjustable),  
 brush type, dual ball bearings  
 Voltage: 220 - 240 VAC, 50/60 Hz  
 Heater: 275 - 500 Watt  
 Current: 3 - 4 Amps @ 240 VAC

**Optional Finish:**



White  
 10-0199-2-00



Satin Stainless  
 Steel  
 10-0199-2-93



**Decibel Level**  
63 dB-A @2M

**Dry Time:** Approx. 20 seconds



**HDABWHTSG AUTOBEAM: WHITE WITH SILVER GLOSS NOZZLE**

Heavy duty steel automatic hand dryer with sensor operation. Large fan and motor assembly provides a high performance dryer designed for high traffic areas and heavy use. Easy installation with tamper-proof locking. 10 year warranty.

**Overall Dimensions:**  
300 x 251 x 219 mm

**Electrical Specifications:**  
Motor: 200 Watt, 5.5 KRPM, brush type, dual ball bearings  
Voltage: 220 - 240 VAC, 50/60 Hz  
Heater: 2200 Watt protected by thermal cut-out  
Current: 10 Amps @ 240 VAC

**Optional Finish:**



**HDABPSSPC AUTOBEAM**  
Polished Stainless Steel with Polished Chrome Nozzle



**HDABWHTPC AUTOBEAM**  
White with Polished Chrome Nozzle



**HDABWHTSC AUTOBEAM**  
White with Satin Chrome Nozzle



**HDABSSSC AUTOBEAM**  
Satin Stainless Steel with Satin Chrome Nozzle



**Decibel Level**  
64 dB-A @2M

**Dry Time:** Approx. 20 seconds



**HDTDWHTPC TOUCHDRY: WHITE WITH POLISHED CHROME NOZZLE & BUTTON**

Heavy duty steel hand dryer. Solid touch button operation. Large fan and motor assembly provides a high performance dryer designed for high traffic areas and heavy use. Easy installation with tamper-proof locking. 10 year warranty.

**Overall Dimensions:**  
300 x 251 x 219 mm

**Electrical Specifications:**  
Motor: 200 Watt, 5.5 KRPM, brush type, dual ball bearings  
Voltage: 220 - 240 VAC, 50/60 Hz  
Heater: 2200 Watt protected by thermal cut-out  
Current: 10 Amps @ 240 VAC

**Optional Finish:**



**HDTDWHTSG TOUCHDRY**  
White with Silver Gloss Nozzle & Button



**HDTDWHTSC TOUCHDRY**  
White with Satin Chrome Nozzle & Button



**Decibel Level**  
55 dB-A @2M

**Dry Time:** Approx. 30 seconds

 **HDAPWHT APPLAUSE CLASSIC WHITE**

Automatic hand dryer with sensor operation. Perfect for smaller environments requiring low noise levels. A low profile, whisper quiet unit. This design is streamlined, minimal and easy to clean. Durable steel casing with theft resistant torx screws. 1 year warranty.

**Overall Dimensions:**  
250 x 361 x 146 mm

**Electrical Specifications:**  
Motor: 100 Watt, 2.8 KRPM, dual ball bearings  
Voltage: 220 - 240 VAC, 50/60 Hz  
Heater: 900 Watt, protected by thermal cut-out  
Current: 4 Amps @ 240 VAC



**Decibel Level**  
66 dB-A @2M

**Dry Time:** Approx. 30 seconds

 **10-0165-2 APPLAUSE PLUS**

Compact automatic hand dryer. Modern, durable design suitable for small areas. Quick drying, no touch, energy efficient operation. Standard white colour. 3 year warranty.

**Overall Dimensions:**  
289 x 285 x 99 mm

**Electrical Specifications:**  
Motor: 200 Watt, 5.5 KRPM, brush type, dual ball bearings  
Voltage: 220 - 240 VAC, 50/60 Hz  
Heater: 1600 Watt  
Current: 7.5 Amps @ 240 VAC

**Optional Finish:**



**HDAPSSS APPLAUSE**  
Satin Stainless Steel



**HDAPSSS APPLAUSE**  
Polished Stainless Steel





**Welcome to ASI JD MACDONALD: where innovation, speed and reliability provide peace of mind**

JD MacDonald expanded into Washroom Accessories in 1959 - since then we have developed a following among Building Owners, Architects and Construction Professionals who count on us because we consistently deliver on a promise of quality, value, impeccable customer service and choice.

In 2013 JD MacDonald was acquired by the ASI Group and as the newly founded ASI JD MacDonald, we continue to provide more choices in hand dryers, paper towel dispensers, waste bins, combination units, grab rails, baby changing stations, soap dispensers, toilet paper dispensers and much more. Since then, we've expanded into toilet partitions, offering options in both structural and compact laminate. In addition we also offer a range of waste management products including garbage chutes, linen chutes and rotobins.

**ASI GROUP**

Privately owned and operated since inception the ASI Group now has operating units and offices in the US, Canada, Australia, Belgium, UK, Middle East and China, with sales in over 50 countries.

For over 50 years our companies have been known for innovative products and the widest choice in product and material for Washroom Accessories, Toilet Partitions, Lockers and other storage devices. Our nimble management philosophy allows us to deliver more products in 48 hours than anyone else in our industry and our flexibility allows us to create unique products to suit specific needs.

You will find one common thread that ties our family of companies together - a singular focus on our customer. That focus is captured in our mission statement: **"To make our customers successful by providing a value greater than price and an excellent service experience."** [www.asigroup.us](http://www.asigroup.us)

**OUR GLOBAL REACH:** Allow our experienced architectural team to help you deliver on your promise of excellence as they have delivered on some of the most prestigious projects worldwide:

**Corporate World HQ:** Apple Corp., Coca Cola Corp., Facebook, Goldman Sachs (US)

**Intl. Offices:** Microsoft, Intel (China), HSBC (Egypt), Residence Palace, Antwerp Port House (Belgium)

**Airports:** Canberra Airport (AUS), JFK Intl., DFW Intl., Logan Intl. (US), Hong Kong Intl. (China)

**Education:** NYU Dormitories (UAE), Yale Univ., Stanford Univ., Univ. of Notre Dame (US)

**Medical:** Red Cross (AUS), Memorial Sloane Kettering, Mayo Clinic (US), Al Mafraq Hosp. (UAE)

**Hospitality:** Crown Plaza (Jordan), Ritz Carlton (US), Kempinski Hotel, Intercontinental Hotel (Qatar)

**Entertainment:** Shanghai Disney (China), Plopsa Water Parks (EU), MGM Grand Casino, Lincoln Center (US)

**Stadiums:** Yankee Stadium, Madison Square Garden (US), Doha Rugby and Football Stadium (Qatar)

**Government:** Royal Australian Airforce Base (AUS), US Embassy (China), Great Lakes Naval Base (US)

**MORE CHOICES: Every building type, physical environment, project size and geography**

- Hospitals and Health Care
- Universities and School Districts
- Office Buildings
- Stadiums and Fitness Facilities
- Airports and Travel Hubs
- Government Buildings & Convention Centers
- Prisons and Security Facilities
- Restaurants and Chain Stores
- Hotels and Multi-Family Buildings
- Theatres and Entertainment Complexes
- Museums and Libraries
- Theme Parks and Shopping Malls
- Parks and Recreation Facilities
- Warehouses / Manufacturing / Food Service Plants

**ASI JD MacDonald: Your single source for privacy, hygiene, safety and eco-friendly products.**



ASI JD MacDonald Pty Ltd  
ABN: 61 162 663 872  
E: [enquiry@asijdmacdonald.com.au](mailto:enquiry@asijdmacdonald.com.au)  
P: 03 8558 7200 F: 03 9548 1141

**Free Call 1800 023 441**

[www.asijdmacdonald.com.au](http://www.asijdmacdonald.com.au)